This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/702,493	10/31/2000	Peter W. Estelle	NOR-937	NOR-937 9829	
7:	590 04/11/2002				
C Richard Eby			EXAMINER		
Wood Herron & Evans LLP			KEASEL, ERIC S		
2700 Carew To 441 Vine Street				DADED MILITED	
Cincinnati, OH 45202-2917		ART UNIT	PAPER NUMBER		
Cincillian, Oli 10-10-11			3754		
			DATE MAILED: 04/11/2002		

Please find below and/or attached an Office communication concerning this application or proceeding.

	·				M
• '	•	Application No.		Applicant(s)	
		09/702,493		ESTELLE	
Office Action Summary		Examiner		Art Unit	
		Fric Keasel		3754	
	The MAILING DATE of this communication ap	pears on the cover	sheet with the c	orrespondence a	ddress
Pariod fo	r Reniv				
THE N - Exten after - If the - If NO - Failul	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. Period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period reto reply within the set or extended period for reply will, by statutively received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, howen by within the statutory min will apply and will expire	ever, may a reply be tin imum of thirty (30) day SIX (6) MONTHS from	nely filed s will be considered tim the mailing date of this D (35 U.S.C. § 133).	ely. communication.
1)⊠	Responsive to communication(s) filed on 04	February 2002			
2a)□	This action is FINAL . 2b)⊠ T	his action is non-f	inal.		
3)	Since this application is in condition for allow closed in accordance with the practice under	vance except for	ormal matters, p 1935 C.D. 11,	rosecution as to 453 O.G. 213.	the merits is
	ion of Claims				
4)⊠	Claim(s) 1-25 is/are pending in the application	on. os is taus suith discus	n from consider	ation	
	4a) Of the above claim(s) <u>5-15,17,18,24 and 3</u>	25 is/are withdraw	n from consider	ation.	
	Claim(s) is/are allowed.				
6)⊠	Claim(s) <u>1-4,16 and 19-23</u> is/are rejected.				
7)					
	Claim(s) are subject to restriction and tion Papers	or election require	ement.		
9)[The specification is objected to by the Examir	ner.			
10)□	The drawing(s) filed on is/are: a) ☐ acc	cepted or b) object	cted to by the Ex	aminer.	->
	Applicant may not request that any objection to	the drawing(s) be he	eld in abeyance.	See 37 CFR 1.00(3). sinor
11)[The proposed drawing correction filed on	is: a) approv	/ed b)∐ disappi 	roved by the Exar	milei.
	If approved, corrected drawings are required in		ction.		
] The oath or declaration is objected to by the I	Examiner.			
Priority	under 35 U.S.C. §§ 119 and 120		acilo o a 440	(a) (d) a= (f)	
	Acknowledgment is made of a claim for fore	ign priority under	35 U.S.C. § 119	(a)-(u) or (t).	
а	a) ☐ All b) ☐ Some * c) ☐ None of:				
	1. Certified copies of the priority docume	ents have been re	ceived.	-tinn No	
	2. Certified copies of the priority docume	ents have been re	ceived in Applica	AUON INO.	nal Stage
	3. Copies of the certified copies of the p application from the International See the attached detailed Office action for a light	Bureau (PC) Ruit	= 11.2(a)).		nai Stage
141	Acknowledgment is made of a claim for dome	estic priority under	35 U.S.C. § 119	9(e) (to a provision	onal application).
ļ	a) ☐ The translation of the foreign language ☐ Acknowledgment is made of a claim for dom	provisional applica	ation has been r	eceived.	
15)L Attachm		. ,			
1) 🔯 No	ent(s) otice of References Cited (PTO-892) otice of Draftsperson's Patent Drawing Review (PTO-948) formation Disclosure Statement(s) (PTO-1449) Paper No(4) [5) [s) <u>2</u> . 6) [Interview Summ Notice of Inform Other:	nary (PTO-413) Pape nal Patent Application	r No(s) (PTO-152)

Art Unit: 3754

DETAILED ACTION

1. Applicant is reminded of the duty to disclose all information known to be material to patentability as defined in 37 CFR 1.56.

Election/Restrictions

- 2. Applicant's election of Group II, Species IIA in Paper No. 4 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).
- 3. Claims 5-15, 17, 18, 24, and 25 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species and/or groups, there being no allowable generic or linking claim. Election was made **without** traverse in Paper No. 4.

Claim Rejections - 35 USC § 112

- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Claims 4 and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 4, "said waveform generator" lacks antecedent basis.

Art Unit: 3754

٠,

Claim 23 appears to be directed to the point that different power supplies can be used with the invention. However, as written, it is vague and indefinite as to whether the power supplies are simultaneously connected to the solenoid or whether there is only one power supply connected at a time.

In light of the above informalities, the claims have been examined as could best be understood by the examiner. The examiner's failure to apply prior art to any of the claims should not be construed as an indication of allowable subject matter.

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1-4, 16, and 19-23 (as understood) are rejected under 35 U.S.C. 103(a) as being unpatentable over Nojima (US Patent Number 5,812,355) in view of Oyama et al. (US Patent Number 4,878,147).

Nojima discloses the fluid dispenser for dispensing a fluid onto a substrate with a solenoid-actuated dispensing valve, power supply, and driver circuit (along with the associated method), but fails to disclose the details of the driver circuit initial peak current having a duration determined as an inverse function of the output voltage of the power supply. Oyama et al. disclose a similar driver circuit with initial peak and holding currents with the duty ratio (duration) reduced inversely proportional to the power supply voltage. It would have been

Art Unit: 3754

obvious to one having ordinary skill in the art at the time the invention was made to have used the driver circuit of Oyama et al. with the fluid dispenser of Nojima in order to overcome the problems of different values of the power supply from a production efficiency standpoint as taught by Oyama et al. (see column 1, line 12 to column 2, line 18).

8. Claims 1-4, 16, and 19-23 (as understood) are rejected under 35 U.S.C. 103(a) as being unpatentable over Nojima (US Patent Number 5,812,355) in view of Ohtsuka (US Patent Number 5,737,172).

Nojima discloses the fluid dispenser for dispensing a fluid onto a substrate with a solenoid-actuated dispensing valve, power supply, and driver circuit (along with the associated method), but fails to disclose the details of the driver circuit initial peak current having a duration determined as an inverse function of the output voltage of the power supply. Ohtsuka discloses a similar driver circuit with initial peak and holding currents with the pulse width for a voltage value decreasing in inverse proportion to the power supply voltage. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have used the driver circuit of Ohtsuka with the fluid dispenser of Nojima so that the absorbing force and an input to the coil can be maintained at a constant level, irrespective of the voltage value as taught by Ohtsuka (see column 4, lines 54-59).

Double Patenting

9. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed.

Art Unit: 3754

Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

10. Claims 1-4, 16, and 19-21 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 4 of copending Application No. 09/880,649 (commonly assigned to Nordson Corporation). Although the conflicting claims are not identical, they are not patentably distinct from each other because /claim 4 anticipates all claim limitations in claims 1-4 and the method claims 16 and 19-21 are the inherent method of using the device of claim 4 of copending, commonly assigned application no. 09/880,649.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Conclusion

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Gordon et al., Sloan, D'Onofrio, Russell et al., Bender et al., Zechmann et al., Goodnight et al., Mori et al., and Kono et al. disclose similar devices.

Art Unit: 3754

Bright State State &

Any inquiry concerning this communication or earlier communications from the 12. examiner should be directed to Eric Keasel whose telephone number is (703) 308-6260. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry C. Yuen can be reached on (703) 308-1946. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-3588 for regular communications and (703) 305-3588 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0861.

EK ZAPROZ ek

April 7, 2002

Lesley D. Morris
Primary Examiner

A43752

Page 6